

Quantitative MG score

Test item	None	Mild	Moderate	Severe	Score
Grade	0	1	2	3	
Double vision on lateral gaze right or left (circle one), seconds	61	11–60	1–10	Spontaneous	_____
Ptosis (upward gaze), seconds	61	11–60	1–10	Spontaneous	_____
Facial muscles	Normal lid closure	Complete, weak, some resistance	Complete, without resistance	Incomplete	_____
Swallowing 4 oz. water (1/2 cup)	Normal	Minimal coughing or throat clearing	Severe coughing /choking or nasal regurgitation	Cannot swallow (test not attempted)	_____
Speech after counting aloud from 1 to 50 (onset of dysarthria)	None at 50	Dysarthria at 30–49	Dysarthria at 10–29	Dysarthria at 9	_____
Right arm outstretched (90 degree sitting), seconds	240	90–239	10–89	0–9	_____
Left arm outstretched (90 degree sitting), seconds	240	90–239	10–89	0–9	_____
Vital capacity, % predicted	≥80	65–79	50–64	<50	_____
Right-hand grip, kgW					
Men	≥45	15–44	5–14	0–4	_____
Women	≥30	10–29	5–9	0–4	_____
Left-hand grip, kgW					
Men	≥35	15–34	5–14	0–4	_____
Women	≥25	10–24	5–9	0–4	_____
Head lifted (45 degree supine), seconds	120	30–119	1–29	0	_____
Right leg outstretched (45 degree supine), seconds	100	31–99	1–30	0	_____
Left leg outstretched (45 degree supine), seconds	100	31–99	1–30	0	_____

Total QMG score (range, 0–39)